

# HARDWARE BULLETI

Issue 4 / March 2023






































Website: www.mh-directory.com | Facebook: mrmark.tools | Tel: +6 07-871 1285 (Hunting Line) | Fax: +6 07-862 4076

Toyo Gréase Pg03-06

Worker Brand Pg07-08

Foreign Worker Product Pg09-12













**NESHOP** 



Convenient **Fast Cost Effective** 

**One-Stop Service Concept.** 

**Excellent Logistic Support.** 

**Prompt & Effective Delivering** 

Order by 016-7601285/7611285 Phone ( NOW!





# **ULU TIRAM**

Tel· 07-871 1285

07-862 4076

(Mon-Fri 8:30am - 6:00pm)





1 UNIVERSAL HARDWARE & MACHINERY SDN. BHD. No.5260 & 5261, Jalan Matahari Indahpura 81000 Kulaijaya, Johor.



# **MOUNT AUSTIN**

Tel & Fax: 07-361 8808

Tel: 07-255 5859 07-255 5860

MASAI



MP WORLD HARDWARE & MACHINERY SDN. BHD. (1020029-U) No. 58 & 59, Jalan Sejambak 14, Taman Bukit Dahlia, 81700 Pasir Gudang, Johor.



**1 LIVING DEPOT SDN. BHD.** (956484-1) No.69, 69A, 69B & 71, 71A, 71B & 73, 73A, 73B, Jalan Mutiara Emas 10/19, Taman Mount Austin, 81100 Johor Bahru, Johor

No. 7, Jalan Indah Gemilang 5, Taman Perindustrian Gemilang, 81800 Ulu Tiram, Johor.



















# EAJ 102CVJ

SPECIAL FORMULATE AUTOMOTIVE

# TYPICAL PHYSICAL PROPERTIES

NLGI GRADE	2
PEAK POINT	125°C / 257°F +/- 5
WATER RESISTANT	Yes / Good
COLOUR	Black

EAJ 102 CVJ Moly Graphite is specially developed for car constant velocity (CV) joints, universal joints, chassis points, cranes, conveyor systems.

It is formulated from selected base oil combines with molybdenum disulfide (Moly) and graphite compounds to provide a protective film strength on all moving surfaces.

Available Packing Sizes:	
• Tub 450g	- 24pcs per box
• Tub 1kg	12pcs per box
• Tub 2kg	9pcs per box
• Tub 3kg	4pcs per box
Pail 15kg	

LIST PRICE RM26.40



Amember of NLGI, USA

NT MOLY GRAPHITE GREASE · EAJ

TOYO


# 7000EP

EXTREME PRESSURE

# **TYPICAL PHYSICAL PROPERTIES**

NLGI GRADE	2
PEAK POINT	210° C / 410° F +/- 5
WATER RESISTANT	Yes / Good
COLOUR	Yellow

EAJ 7000 EP is recommended for industrial machineries, rolling element bearings in steel mills, quarry, marine, agricultural, mining, construction machinery, drilling, conveyors, elevators, chains, pulleys, cranes, shafts, automotive applications etc.



# Available Packing Sizes:

	Tub 450g	24pcs per box
	Tub 1kg	12pcs per box
•	Tub 2kg	9pcs per box
	Tub 3kg	4pcs per box
	Pail 15kg	

LIST PRICE RM36.80



# EAJ 101EP

# WATER RESISTANT

# TYPICAL PHYSICAL PROPERTIES

NLGI GRADE	2
PEAK POINT	125°C / 257°F +/- 5
WATER RESISTANT	Excellent
COLOUR	Brown

EAJ 101 EP is primarily used to lubricate water pumps, cranes, trucks, wire ropes, machinery components and vehicle bearings operating under mild conditions and lubrication of buffer disks, screw couplings, hand brake spindles etc.

# Available Packing Sizes:

LIST PRICE



A member of NLGI, USA EAJ HEAVY DUTY 101 EP

# EAJ 8000

# NON-MELTHIGH TEMP GREASE

# TYPICAL PHYSICAL PROPERTIES

NLGI GRADE	2
PEAK POINT	Min. 230°C / 446°F +/- 5
WATER RESISTANT	Yes / Good
COLOUR	Red

EAJ 8000 is recommended for industrial machineries, rails and wheel flanges of railroad tracks, automotive and construction applications, electrical motors, bearings, gears and couplings, trucks, tractors, cars etc.



Available Facking Sizes:		sizes:
	• Tub 450g	24pcs per box
	<ul> <li>Tub 1kg</li> </ul>	12pcs per box
	<ul> <li>Tub 2kg</li> </ul>	9pcs per box
ı	<ul> <li>Tub 3kg</li> </ul>	4pcs per box
ı	Pail 15kg	120000000000000000000000000000000000000

RM32.00





# MP2

# a INDUSTRAIL & AUTOMOTIVE

### TYPICAL PHYSICAL PROPERTIES

NLGI GRADE	2
PEAK POINT	180° C / 360° F +/- 5
WATER RESISTANT	Yes / Good
COLOUR	Approx. 40 lbs

TOYO MP2 is a multipurpose grease based on lithium soap thickener fortified with anti-oxidant, anti-wear and anti-rust additives.

TOYO MP2 offers very good performance, product benefits as shown below. - Peak point >180°C. - Extremely stable under vibrations and shock load - Good corrosion resistance characteristics - Long storage life

TOYO MP2 is suitable for general rolling element and plain bearing, electric motor bearings, sealed for life bearings, water pump bearings etc. May be used under a wide range of operating temperature from -20°F to 266°F.



# ECONOMY LITHIUM

### TYPICAL PHYSICAL PROPERTIES

NLGI GRADE	2
COLOUR	Red
WATER RESISTANT	Yes / Good
PEAK POINT	190° C

EAJ 1 is recommended for most heavy vehicles, machineries and for general lubrication. High temperature performance at economical price. Suitable for most bearing applications as it can withstand higher temperature than normal heavy

**Available Packing Sizes:** 

Pail 14kg NETT
 Drum 180kg



RM533.30

RM 330.00



RM36.80

RM 14.50

# EAJ 2

# ECONOMY CALCIUM

### TYPICAL PHYSICAL PROPERTIES

NLGI GRADE	2
COLOUR	Red
WATER RESISTANT	Yes / Good
PEAK POINT	118° C

EAJ 2 greases are primarily used to lubricate earth moving machines, cranes, trucks, wire ropes, machinery components and vehicle bearings operating under mild conditions and lubrication of buffer disks, screw couplings, hand brake spindles etc. It is formulated from good quality base oil to meet industrial and automotive requirements. It has no environmentally harmful substances and heavy metals.

# Available Packing Sizes:

Pail 30lbs NETT
 Drum 180kg



# EAJ 735 MKT

# POWER TOOLS GREASE

EAJ 735 MKT is a high speed, high heat resistance and plastic compatibility grease suitable for a wide range of working conditions and suitable for most power tool applications. It is engineered to provide a long service life in a broad range of applications.

EAJ 735 MKT HM is fortified with high percentage of extreme pressure additives and resistance to shear forces so as to give better performance and high protection for a wide range of applications and service conditions.

Available Packing Sizes:

Tube 60gm -----24 pcs per box



LIST PRICE RM 12.40

Tube

TOYO

BRAKE GREASE

RM275.00 RM 220.00

# **EAJ 911**

# ANTI-SEIZE COMPOUND / PASTE



EAJ 911 Super High Temperature and EP Compound/ Paste is highly recommended for lubrication of oven Paste is highly recommended for lubrication of oven doors, boiler hinges, boiler cover, chains, rops, levers, spark plugs foligus threadd, threaded parts, bushings, disc brake pads, wheel nuts, heat exchangers or manifold boths, gears, valves, sprockets, collers, pivots, drilling, furnace parts and any kind of equipment and machinery subject to high temperature or high operating loads. It is also recommended as a gasket release agent, a sealer, a tapping compound on plastics and metals, etc. It gave excellent rust and corrosion protection especially in marine surroundings exposed to sea water.



LIST PRICE RM21.40



RM 16.00

# EAJ 168 BCG



# **BRAKE CALIPER GREASE**

EAJ 168 BCG is recommended for long and short bolts, bushings, caliper pistons, caliper pins, disc brake calipers, outboard and inboard pad backing plate,

Other application includes mechanical seal, dashboard, conveyor chains subject to washing by water or steam, battery terminal to prevent corrosion, valve lubricant.

**Available Packing Sizes:** • Tube 100gm ------- 12 pcs per box





Tube

RM 16.00



# **EAJ 933S**

### **SILICONE GREASE**

EAJ 933 S Extreme High Temperature is recommended as a moisture barrier, surface protectant, specialized release lubrication/release agent. It can enhance thermal conductivi-ty – electrical connectors, seals and cables.

EAJ 933 S can also be used as a lubricant for many plastics and rubber (silicone rubber, synthetic rubbers, o-rings). It is also ideal as a mould release agent. Other application includes mechanical seal, dashboard, conveyor chains subject to washing by water or steam, battery terminal to prevent corrosion, valve lubricant, printers, computer and other communication equipment.

Available Packing Sizes:

• Tube 60gm ————24 pcs per box



LIST PRICE BM20.60

RM 13.00 Tube

o v

a

M R

S

m

### **MULTI PURPOSE**

Long lasting high temperature lubrication

PRODUCT DESCRIPTION
Toyo Grease Multi Purpose HI-TEMP Grease is specially developed for heavy duty lubrication, high temperature and corrosion protection. Provide superior thermal stability that

### FEATURES & BENEFITS

- FEATURES & BEREHIS

  Excellent Corrosion Protection.

  Excellent for lubrication on difficult to reach areas.

  Super Thermal Stability.

  Excellent Water Resistance with Water Proof Performance.

  Super Extreme Pressure (EP) Performance.

  Proven to Last much Longer than Conventional Spray Grease.

  Suitable for lubrication over a wide range of temperature from -200 to 500.

  Assist Seals.

**PRODUCT APPLICATION**Gear, door hinges, sprockets, pulleys, guide rails and more. Ideal for metal to metal application.

### DIRECTION FOR USE

UNKECHON FUN USE Shake can well before use. Hold the aerosol can a short distance away and spray directly onto the parts to be





080

300ml

TI II SA ш

# **WIRE ROPE**

# **WATER RESISTANCE**

Wire rope protect & maximize wire rope lifespa

PRODUCT DESCRIPTION
TOYO GREASE Wire Rope spray is a high performance
de-watering wire rope aerosol, designed for wire rope ubrication &
corrosion protection of most types of wire ropes, particularly in
wet and hostile conditions.

### FEATURES & BENEFITS

- FERTURES & BEHEFITS

  Effectively penetrates to wire rope core, chains, cable to provide optimum protection.

  Excellent corrosion and anti-wear protection of inner strands.

  Special protective coating that prevents "throw-off, peeling and
- scaling. Excellent Water Resistance
- Superb Extreme Pressure (EP) Performance
   Extend wire rope service life.

# PRODUCT APPLICATION

deal for use on wire rope operating in arduous environmental conditions on equipment such as hoists, drag lines, cranes and ships

# DIRECTION FOR USE

Direction FUR USE Shake can well before use. Hold the aerosol can a short distance away and spray directly onto the parts to be lubricated. Use it as a regular maintenance aid.

LIST PRICE RM 19.50

# WHITE LITHIUM

# **OUTDOOR LUBRICATION**

### FEATURES & BENEFITS

- istance, act as sealants to prevent ingress of
- Sets dry for a thick, protective coating that won't wash off melt,
- reeze or run in any weather. Suitable for heavy duty lubrication.

Ideal for use on outdoor components, including gear, door hinges door tracks, sprockets, pulleys, guide rails and more. Ideal for meta to metal application.

# DIRECTION FOR USE

DIRECTION FOR USE
Shake can well before use, Hold the aerosol can a short distance away and spray directly onto the parts to be lubricated. Use it as a regular maintenance aid.



# LIST PRICE RM19.50

9

REAS

0 -0

30000

# DR.RUST

# **RUST LOOSENING PENETRATING OIL**

Multi purpose anti rust lubrication

PRODUCT DESCRIPTION
Multi-purpose rust loosening oil, provides superior
lubricates, penetrates and cleaning function. Protect metal
from rust & corrosion.

- FEATURES & BENEFITS

   Excellent Penetrating Effect to clean, loosen and Lubricate
- metal parts.

   Excellent Rust Protection & prevents re-rusting.

   Loosens Rust-to-metal Bonds and frees stuck rusted metal
- Excellent Water Resistance with Water Proof Performance.

# Excellent Extreme Pressure (EP) Performance

**PRODUCT APPLICATION**Bolts & Nuts, door hinges, locks, guide rails, pulley, hardware Bolts & Nuts, door hir nand tools and more

DIRECTION FOR USE Shake can well before use. Hold the aerosol can a short distance away spray directly onto the parts to be lubricated. Use it as a regular maintenance aid.





% 64

# CHAIN LUBE

# SYNTHETIC HIGH LOAD

Anti-fling off chain lubrication

**PRODUCT DESCRIPTION**Extremely high-pressure resistant and incredibly adhesive chain lube. Excellent waterproof performance and thermal stability. Suitable for use for all season.

- FEATURES & BENEFITS
   Excellent Penetrating Effect.
   Excellent Rust and Corrosion Protection.
   Good Adhesiveness and High Film Strength to Prevent
- Fling-Off.
- Resistance to Shocks, impacts and Water Washout
- Reduces Wear, Friction and Heat.
   Excellent Protection for Longer Lasting Life.

PRODUCT APPLICATION
Specially designed for motorbike chains of motorbikes used on the road and particularly in races as well. It can also be used on heavy industrial machinery chain. DIRECTION FOR USE

Shake can well before use. Hold the aerosol can a short distance away and spray directly onto the parts to be lubricated. Use it as a regular maintenance aid





0

300ml

η**ον**δ

DEGREASER



# DEGREASER

### WATER BASED MULTI PURPOSE

# PRODUCT DESCRIPTION TOYO GREASE degre

is a powerful degreaser that quickly ондые degreaser is a powerful degreaser that quickly remove grease, oil and dirt. Good penetrating ability, easy to rinse and leaves no residue. This water soluble powerful degreaser is safe to use on most surfaces like aluminium, metals, plastic and rubber.

# FEATURES & BENEFITS

- FASTURES & BEHEFITS
   Fast acting cleaning solution
   Easy to rinse and leaves no residue
   Easy to removes grease, oil, dirt, sludges and grimy residues
   Lis safe to use on most surfaces like aluminium, metals, plastics
  and is ideally for use on tools, engines, forklifts, chains, power
  equipment and rims etc.

### PRODUCT APPLICATION

Power tools, works surface, industrial machinery, automotive parts & tools.

**DIRECTION FOR USE**Shake can well before use. Allow penetration for several minutes to dissolve unnecessary dirt. Wiping and hose off with water is necessary after spray.

**VARINIG**yo not spray on hot or running engine, do

not use it when electrical is switching ON

or where fire exist.





ov)

ENON!

ANER

### **RUBBER & PLASTIC RESTORE**

### PRODUCT DESCRIPTION

Lubricates, cleans, prolonged and protects all metal and non-metal material including plastic, rubber, and vinyl, it dries fast and leaves a clear coat on the surface.

### FEATURES & BENEFITS

- FEATURES & BENEFITS

   Safe to use on most Plastics, Rubber & leather.

   Long term lubrication.

   Excellent water resistant.

   Translucent, Non Staining and won't attract dirt.

   Suitable for applications subjected to a wide range of temperatures.

Ideal for use to reduced cracking or splitting of Rubber seal, rubber belt, plastic component, leather treatment, cables, pulleys, guide rails, sliding doors and more.

**DIRECTION FOR USE**Shake can well before use. Hold the aerosol can a short distance away and spray directly onto the parts to be lubricated. Use it as a regular maintenance aid.



LIST PRICE RM22.70

RM 13.90 Tin

# CONTACT

# **CONTACT CLEANER**

Fast drying electrical contact cleaner spray, cleans sensitive ele<mark>ctrical</mark> components without leaving residue

# PRODUCT DESCRIPTION

Faudur uzsum rum Fast drying electrical contact cleaner spray, cleans sensitive elect<mark>rical</mark> components without leaving residue.

- urrace Safe to clean all kind of sensitive electronics and electrica<mark>l</mark>
- Ease of application, just spray on the contact surface. Wiping not required.

# PRODUCT APPLICATION

o clean electric panels, electric motors, relays, electrical cable, generators.

**DIRECTION FOR USE**Shake can well before use. Hold the aerosol can a short distance away and spray directly onto the parts to remove unnecessary dirt.

WARNING
This is an extremely flammable products, please use it carefully. Do not use it when electrical is switching ON or where fire exist. Not suitable for children use, keep out of reach of children.

LIST PRICE BM 19.40

RM 10.90

# **BRAKE & PART**

# **BRAKE & PARTS CLEANER**

PRODUCT DESCRIPTION
TOYO GREASE Brake & Parts Cleaner, ideal for use to dissolves and removes oil, grease, tar, brake fluid, dirt without leaving residue. Does not attack rubber, plastic or paint.

- Fast drying Brake & Parts cleaner that leave no residues.
   Safe to use on all plastics, rubber, and metal.
   Ease of application, just spray on the contact surface. Wiping not required.

# PRODUCT APPLICATION

# DIRECTION FOR USE

hake can well before use. Hold the aerosol can a short distance way and spray directly onto the parts to remove unnecessary dirt.

**WARNING**This is an extremely flammable products, please use it carefully.
Do not use it when electrical is switching ON or where fire exist
Not suitable for children use, keep out of reach of children.



LIST PRICE BM19.40 RM 10.90

# **DIRT-OFF-1KG**

# **INDUSTRIAL HAND CLEANER**

PRODUCT DESCRIPTION

DIRT-OFF industrial hand cleaner by TOYO-G®

DIRT-OFF industrial hand cleaner is a fast-acting easy rinse hand get specially blend for industrial hand cleaning purpose, infused with natural micro mineral to scrub off tough dirt, grease, oil, ink, paint, glue, tile coments, gasket, epoxies, soils & grime etc. It is a petroleum solvent free thick hand gel contains no harsh chemicals that can sting cuts or abrasions and is fortified with plant based softening agent, coconut derived grease cutter, biodegradable surfactant, vegetable derived skin conditioners and natural citrus fragrance to deep clean and protect raw, rough hands.

into dry hands until dirt or grease is dissolved, rinse

- 1kg dispense up to 400 times 4kg dispense up to 1600 times Approx. 2.5g per shot



LIST PRICE



# **DIRT-OFF-4KG**

# **INDUSTRIAL HAND CLEANER**

# PRODUCT DESCRIPTION

PRODUCT DESCRIPTION

DIRT-OFF Industrial hand cleaner by TOYO-G®

DIRT-OFF Industrial hand cleaner is a fast-acting easy rinse hand gel specially blend for industrial hand cleaning purpose, infused with natural micro mineral to scrub off tough dirt, grease, oil, ink, paint, glue, tile coments, gasket, epoxies, soils & grime etc. It is a petroleum solvent free thick hand gel contains no harsh chemicals that can sting cuts or abrasions and is fortifhed with plant based softening agent, coconut derived grease cutter, biodegradable surfactant, vegetable derived skin conditioners and natural citrus fragrance to deep clean and protect raw, rough hands.

deep clean and protect raw, rough hands.

**DIRECTION FOR USE**Rub hand cleaner into dry hands until dirt or grease is dissolved, rinse with water.

- 1kg dispense up to 400 times 4kg dispense up to 1600 times Approx. 2.5g per shot
- LIST PRICE





# 🧟 Worker Brand Promotion 🧝



































MAR2023-BL-PAC16

SPECIAL OFFER!! **WORKER TOOLS SET SPECIAL PRICE** 

RM396.00

WK-B0X-0503 WORKER 0503 ATS CANTILEVEL TOOL BOX (RED/BLACK)







WK-8807-6PCS WORKER 6PCS GO-THROUGH S/DRIVER SET RM36.00



WK-53513M WORKER 9PCS STAR KEY WRENCH SET (EXTRA LONG) RM26.50



WK-53506M WORKER 9PCS BALL POINT KEY WRENCH SET (EXTRA LONG) RM33.00



WK-53511M WORKER 9PCS HEX KEY WRENCH SET (EXTRA LONG) RM26.50



PLIER - SS RM18.80



WK-7501SB-7 WORKER SNAP RING PLIER - SB RM18.80



WK-7501HS-7 WK-7501HB-7 WORKER SNAP RING WORKER SNAP RING PLIER - HS PLIER - HB RM18.80 RM18.80



WK-8801 WK-8802

7"/8") WORKER COM. PLIFRS. **EUROPEAN TYPE** 6" RM16.70

PLIERS, EUROPEAN TYPE 7" RM19.80 8" RM19.80 8" RM22.40

WK-8803 (6"/8") WORKER 6" WORKER DIAGONAL PLIERS. LONGNOSE **EUROPEAN TYPE** 

6" RM16.70 RM16.70

WK-8089 / 10" / 12") WORKER ADJ. WRENCH

PHOSPHATED 8" RM19.60 10" RM27.00 12" RM39.00

WK-8094 WORKER HAND RIVERTER RM24.10

WK-8090 LOCKING PLIER RM20.50







RM 139.00 RM 258.00

RM 238.00



SIZE: 1950(L) X 908(W) X 1775(H) COLOR: BLACK BASE: WIRE MESH





LC605H **DOUBLE DECKER** 

SIZE: 1995(L) X 925(W) X 1770(H) COLOR: BLACK **BASE: METAL SLAT** 

**5" SAGA FOAM MATTRESS** 



RM 299.00

RM 497.00

RM419.00

RM 617.00



**PILLOW** 

RM 11.00



SINGLE BED SHEET

RM 28.80





**5" SAGA FOAM MATTRESS** (Made in Malaysia)

RM 99.00

Unit











































































































GAS COOKER YS-023 MILUX

- Power: 2.3kw + 2.3kw - Burner size: Ø90mm - Burner head material: Steel

- Flame Type: Beehive
- Body material: Epoxy
- Kuali stand material: Enamel
- Ignition Type: Piezo ignition
- Valve: Single jet





**ORI BUTANE GAS** 



- Type of gas: low pressure gas
- Size(mm): 120H x 720W x 390L Gas consumption(KG/HR): 0.50
- Weight: 7kg Gas inlet: inner diameter 3/8"(9.5mm) rubber tubing













RM 24.00







TIN